

# Magna-Plate 86

## DESCRIPCIÓN DEL PRODUCTO:

JAX Magna-Plate 86 es un lubricante de grado alimenticio que se ha desarrollado específicamente para proporcionar lubricación en procesos de ambiente de frío extremo, lo que a menudo se encuentra en las plantas de procesamiento de alimentos. El fluido base es totalmente sintético y aprobado por la FDA.

Tiene un punto de congelamiento muy bajo  $-76^{\circ}\text{F}$  ( $-60^{\circ}\text{C}$ ), sin embargo, tiene cuerpo suficiente para lubricar a todas las temperaturas. El paquete de aditivos incluye una combinación eficaz contra la extrema presión, agentes anti desgaste, el óxido e inhibidores de la oxidación.

El agente de adherencia de categoría alimenticia, está presente para proporcionar características de lubricación de adhesión y anti goteo limitados. Si usted mantiene equipos para la fabricación de helados, congelación de verduras o cualquier otro equipo de procesamiento de alimentos o simplemente muy baja temperatura, JAX Magna-Plate 86 es la mejor solución para optimizar las aplicaciones de procesamiento de baja temperatura.



## DATOS TÉCNICOS:

Gas propulsor:	Propano y n- butano
Punto de inflamación:	$240^{\circ}\text{C}$ Concentrado
Punto de fluidez :	$-70^{\circ}\text{C}$ Gas propulsor
Chorro de pulverización:	Secuencia estrecha
Viscosidad:	$32.6\text{ cSt @ }40^{\circ}\text{C}$
Textura:	Film de aceite
Apariencia:	Trasparente
Consistencia:	Liviano
Gravedad específica:	0.8314 para el Concentrado

## DISPONIBILIDAD EN AEROSOL:

Caja con 12 unidades de 312g c/u - Parte # JAX110



## NSF International / Nonfood Compounds Registration Program

February 11, 2004

Patty Riek  
PRESSURE-LUBE, INC. JAX  
W134 N5373 CAMPBELL DRIVE  
MENOMONEE FALLS, WI 53051  
UNITED STATES

RE JAX MAGNA-PLATE 86 (Aerosol)  
Category Code: H1  
NSF Registration No. 072192

Dear Patty Riek:

NSF has processed the application for Registration of **JAX MAGNA-PLATE 86 (Aerosol)** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2004)*, which are available at [www.nsf.org/usda](http://www.nsf.org/usda). The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

**This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.**

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at [http://www.nsf.org/mark/download\\_marks.html](http://www.nsf.org/mark/download_marks.html).

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

Carmen Grindatti  
NSF Nonfood Compounds Registration Program

Company No: N05625

Distributed By:

**PRESSURE-LUBE**  
America's Finest Lubricants