

Food-Grade Anti-Seize

DESCRIPCIÓN DEL PRODUCTO:

JAX Food-Grade Anti-Seize es de grado alimenticio de primera calidad, acondicionador de rosca húmedo y compuesto anti-adherente formulado con una mezcla equilibrada de PTFE y otros lubricantes sólidos, se homogeneizaron en un portador de grasa a alto punto de fusión. JAX Food-Grade Anti-Seize cumple con los requisitos de la USDA H1 lubricantes grado alimenticio, y es aceptable en aplicaciones alimentarias, bebidas y farmacéuticas donde el contacto incidental con los alimentos es posible.

BENEFICIOS DEL PRODUCTO:

JAX Food-Grade Anti-Seize ha sido diseñada para proporcionar un superior sello a prueba de fugas para la duración de la conexión manteniendo sus capacidades anti-adherentes y anti-corrosión. Esto permite un fácil desmontaje sin la precaución de daños en la rosca y el sujetador. La formulación única de JAX es muy resistente a la alta presión, alta temperatura, y lavados frecuentes en las industrias alimenticias y de bebidas.

APLICACIÓN:

JAX Food-Grade Anti-Seize es un sellador confiable y de calidad, para las conexiones roscadas en tuberías que conducen variedad de líquidos y gases, incluyendo agua, gas natural, LPG, cerveza, vino, jugos, dióxido de carbono, sopas, aderezos, vegetales lavados, etc... JAX Food-Grade Anti-Seize ofrece un servicio fiable en bronce, hierro negro, acero galvanizado, acero inoxidable, aluminio, cobre, PVC, y tuberías reforzados en fibra de vidrio, tubos y conexiones.

JAX Food-Grade Anti-Seize proporciona lubricación desde 10°F hasta 482°F (-12°C hasta 250°C). NLGI Grado 1-1/2. Las características del producto son:

- Cumple los requisitos de USDA H1
- Húmedo
- Lubrica roscas
- Forma sello hermético
- Resiste agua y vapor
- Económico
- No se derrite
- Fácil de aplicar
- Evita la corrosión

DATOS TÉCNICOS:

	<u>JAX134</u>	<u>JAX234</u>
Propulsor:	N/A	Butano y propano
Punto de inflamación:	480°F (248°C), ASTM D 92	Extremadamente inflamable
Viscosidad:	N/A	N/A
Textura:	Grasa blanca cremosa con PTFE y otras partículas	Grasa blanca cremosa con PTFE y otras partículas
Apariencia:	Grasa blanca de tipo espesa	Grasa tostada
Consistencia:	Pesada	Pesada

EMBALAJE:

	Presentación	Empaque
JAX134	Botella x 8 Onzas	Caja x 12 und
00134-121	Botella x 16 Onzas	Caja x 12 und
00134-035	Balde	
00134-120	Cuñete	
JAX234	Aerosol x 11 Onzas	Caja x 12 und



Food-Grade Anti-Seize



NSF International / Nonfood Compounds Registration Program

Nonfood Compounds
Program Listed

April 10, 2014

Ms. Patty Riek
Pressure-Lube, Inc. Jax
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051
United States

RE: JAX FOOD-GRADE ANTI-SEIZE (AEROSOL)

Category Code: H1
NSF Registration No. 147053

Dear Ms. Patty Riek:

NSF has processed the application for Registration of JAX FOOD-GRADE ANTI-SEIZE (AEROSOL) to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2009), which are available at www.nsfwhitebook.org. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (www.nsfwhitebook.org).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at www.nsfwhitebook.org. Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing.

Sincerely,

Amanda Phelka
NSF Nonfood Compounds Registration Program

Company No: 147053

Distributed By:

PRESSURE-LUBE
America's Finest Lubricants

W134 N5373 Campbell Drive • Menomonee Falls, WI 53051
262.781.8850 • 800.782.8850 • FAX 262.781.3906
www.jax.com